

Hot Water Washer (Rental)

Hot Water Washer - Electric



Dimension	(L)2,000 (W)1,000 (H)1,730
Weight	2,000 kg
Engine	Electric 11 kW
Voltage	400 / 690V 50/60 Hz 63Amp
Heater	30 kW
Pump	Cat 70
Fluid	Water, gels, slurries, chemicals (no acids or saltwater) If other liquids or acids, please contact Proserv
Max. discharge pressure	350 bar
Max. flow rate	21 l/min
Suction connection	1" Air King (Chicago coupling)
Discharge connection	3/8" or 1/2" BSP
Utilities required	Fresh water
Standard for design	Offshore Zone 2
Classification	Norsok Z-015 DNV 2.7-1
Versatility	Cleaning
Hose reel	No

Hot Water Washer (Rental)

Offshore Hot Water Washer - Electric



Dimension	(L)2,000 (W)1,000 (H)1,825
Weight	1,000 kg
Engine	30 kW 63Amp
Power supply	2 x63Amp (1 for electric motor, 1 for heating element)
Heating element	52Amp
Voltage	440V / 690V 50/60Hz
Pump	Denjet CE-40-800
Fluid	Water, oil based and non-lubricated liquids If other liquids or acids, please contact Proserv
Max. discharge pressure	500 bar
Max. flow rate	30 l/min @ 600 bar
Water inlet	Offshore Chicago coupling
Discharge connection	1/2" BSP
Standard for design	Offshore Zone 1
Classification	DNV 2.7-1
Versatility	Hot water cleaning

Hot Water Washer (Rental)

Twin Hot Water Washer - Electric



Dimension	(L)2,000 (W)1,300 (H)1,875
Weight	2,500 kg
Engine	Electric 11 kW
Voltage	380-690V, Max. 125Amp
Heater	71 kW
Pump	Udor 6KD 7.0/40S Plunger pump
Fluid	Water, gels, slurries, chemicals (no acids or saltwater) If other liquids or acids, please contact Proserv
Max. discharge pressure	200 bar
Max. flow rate	22 l/min
Suction connection	1" Air King (Chicago coupling)
Discharge connection	3/8" or 1/2" BSP
Utilities required	Fresh water
Standard for design	Offshore Zone 1
Classification	Norsok Z-015 DNV 2.7-1
Versatility	Cleaning
Hose reel	2